

VIA Connect PLUS

Simultaneous Wired and Wireless Presentation and Collaboration Solution | HDMI | Ethernet - RJ-45



VIA Connect PLUS provides simultaneous wired and wireless presentation and collaboration for a variety of spaces with no need for any additional hardware. This cost-effective solution includes all the benefits of VIA Connect PRO together with an HDMI input. With any laptop or mobile device, meeting participants can display or stream full uninterrupted HD video (up to 1080p60), images and documents, or share any size file. The whiteboard feature lets you annotate, sketch out ideas or edit shared documents on the main display from your device.

VIA Connect PLUS features mirroring for iOS (MacBook, iPad and iPhone), Lollipop OS 5.0 or newer (Android), and Chromebook. You can show up to four user screens on a single main display

FEATURES

HDMI Wired Input - Enables hard-wiring your computer or other HDMI compatible device such as a camera, multimedia player or computer. Note: Does not support HDCP signals

60fps Streaming Multimedia - Share HD wireless video streaming (using the VIA app Multimedia feature)

Wireless Connection for up to 254 Devices - Utilizing Compatible External Wireless Network iOS and Android Mirroring

Wireless Device Connectivity - No dongle needed

DHCP Support

Graphic Output Formats - Outputs to either an HDMI or Mini DisplayPort display. Note: Does not support graphic output to both the HDMI and Mini Display Port simultaneously

Cloud-Based File Sharing - Drag and drop files to the internal VIA cloud storage (32GB) Whiteboard Support

Control - Give a participant control over a presenter's PC for true collaboration

Chat - Send an instant message to another user

iCloud, OneDrive, Google Drive and Dropbox Integration

Seamless Integration with VIA Site Management (VSM) Software & the VIA Pad

Multilingual Support - Experience VIA in your language

Warranty - 3-years on hardware



TECHNICAL SPECIFICATIONS

INPUTS: 4 USB 3.0, 1 LAN on an RJ-45 connector, 1 HDMI

GRAPHIC OUTPUTS: 1 HDMI, 1 mini DisplayPort.

Note: Does not support graphic output to both the HDMI and Mini Display Port

simultaneously

AUDIO OUTPUT: 1 3.5mm mini jack for headphones/speakers

Max. Resolution for the HDMI Input: 1080p@60Hz

PROCESSOR: 4th generation Intel® Dual core 1.4GHz

MAIN MEMORY: 4GB, high speed

STORAGE: 32GB, solid-state drive

LAN: Gigabit LAN

AUDIO: Analog or embedded HDMI, S/PDIF Realtek ALC269

POWER SUPPLY: 65W power adapter (19V, 3.4A)

INPUT VOLTAGE: 100V~220V AC, 50/60Hz, auto sensing

INCLUDED Power cord, Kramer HDMI Male to Female cable extender, VESA mounting bracket

ACCESSORIES:

PRODUCT 11.80cm x 11.50cm x 4.00cm (4.65" x 4.53" x 1.57") W, D, H

23.20cm x 13.60cm x 10.00cm (9.13" x 5.35" x 3.94") W, D, H

DIMENSION:

PRODUCT WEIGHT: 0.5kg (1.1lbs) approx

SHIPPING DIMENSION:

SHIPPING WEIGHT: 1.0kg (2.2lbs) approx





CONFIGURATIONS

VIA Connect PLUS Simultaneous Wired and Wireless Presentation and Collaboration Solution

VIA-DIGITAL-SIGNAGE

License for Dynamic Content Display Feature

